



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/050,063	01/14/2002	Joel A. Rosicne	ANTE-101.1(US)	1124
47670 7590 11/15/2007 KELLEY DRYE & WARREN LLP 400 ATLANTIC STREET, 13TH FLOOR STAMFORD, CT 06901			EXAMINER ROBERTS, JESSICA M	
			ART UNIT 2621	PAPER NUMBER
			MAIL DATE 11/15/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/050,063

Applicant(s)

ROSIENE ET AL.

Examiner

Jessica Roberts

Art Unit

2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 14 January 2002.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>01/02/2002</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. **Claim 1,6, and 8** are rejected under 35 U.S.C. 103(a) as being unpatentable over Udagawa et al., US-6, 195,125 and in view of Kilgore et al., US-5,903,659 .

Regarding **claim 1**, An opto-electronic video compression system, comprising: a lens element for transmitting light of an image and having one or more lenses (fig. 19, 21 and 22), each lens having a predetermined focal length (it is well known that lens have predetermined focal lengths); a sensor array including a first sensor for receiving focused light from the lens element (fig. 19, 21) and a second sensor for receiving defocused light from the lens element (fig.19, 22), wherein the first sensor includes X.times.Y pixels and samples the focused light at each of the X.times.Y pixels, and the second sensor includes X/2.times.Y/2 pixels and samples the defocused light at each of

the  $X/2$ .times. $Y/2$  pixels (fig. 3A- to 3F, column 6 line 15 to 61). Udagawa is silent in regards to an electronic differencing element in communication with the first and second sensor for differencing the coefficients of co-located pixels.

However, Kilgore teaches a comparison function that includes for each value of the anti-mean (focus) is compared to the corresponding value of the anti-mean image (blur), column 6 line 4-15, fig. 5, 24 B2).

Therefore, it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Udagawa with Kilgore's teaching of a comparison function for providing correction terms used for processing images (abstract).

Regarding **claim 6**, the combination of Udagawa and Kilgore teaches everything as claimed above, see claim 1. In addition, Udagawa teaches the opto-electronic video compression system of claim 1, wherein the lens element includes multiple lenses (fig. 19, 21, 22).

Regarding **claim 8**, the combination of Udagawa and Kilgore as whole teaches everything as claimed above, see claim 1. In addition, Udagawa teaches the opto-electronic video compression system of claim 6, wherein each lens has different focal lengths and the sensor is a planer sensor (Fig. 19, 21, 22 and focus controller).

4. **Claims 2-3** is rejected under 35 U.S.C. 103(a) as being unpatentable over Udagawa et al., US-6, 195,125 and in view of Kilgore et al., US-5,903,659 and in further view of Peters et al., US- 5,541,653.

Regarding **claim 2**, the combination of Udagawa teaches the opto-electronic video compression system of claim 1, wherein the lens element includes a single lens (lens system, fig.1). However, Udagawa is silent in regard to including a beam splitter between the lens element and the sensor array for transmitting a first percentage of the light from the image to the first sensor and a second percentage of the light from the image to the second sensor.

However, Peters discloses a beam splitter between the lens element and the sensor array for transmitting a first percentage of the light from the image to the first sensor and a second percentage of the light from the image to the second sensor (Peters, light from an image is incident on lens, which focuses light onto beam-splitter 802. Beam splitter, 802 splits the image into three copies, directing one of the three copies to each of image sensor, 804a, 804b, and 804c, column 23 line 7-12).

Therefore, it would have been obvious at the time of the invention to combine the teachings of Udagawa and Kilgore with Peters beam splitter because it is a crucial part of most interferometers that require precise measurement of indices of refraction.

Regarding **claim 3**, the combination of Udagawa and Kilgore as a whole teaches everything as claimed above, see claim 1. In addition, Udagawa teaches the opto-electronic video compression system of claim 1, wherein the lens element includes a

Art Unit: 2621

single collimated lens (column 13 line 23-31 and fig. 19, 215- 217). Further Udagawa teaches the quantity of light of luminous flux which is passed through the focusing lens system for controlling focus is controlled by the iris diaphragm, further passes through the lens and the optical LPF, then forms an image (column 12 line 27-31) which reads upon the receiving focused and defocused light.). Udagawa is silent in regards to further including a beam splitter between the lens element and the sensor array for transmitting a first percentage of the light from the image to the first sensor and a second percentage of the light from the image to the second sensor, and further including a first lens between the beam splitter and the first sensor for providing the focused light on the first sensor, and a second lens between the beam splitter and the second sensor for providing the defocused light on the second sensor.

However, Peters discloses including a beam splitter between the lens element and the sensor array for transmitting a first percentage of the light from the image to the first sensor and a second percentage of the light from the image to the second sensor (Peters, light from an image is incident on lens, which focuses light onto beam-splitter 802. Beams splitter, 802 splits the image into three copies, directing one of the three copies to each of image sensors, 804a, 804b, and 804c, column 23 line 7-12).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Udagawa with Peters' teaching of beam splitter between image sensors because it is a crucial part of most interferometers that require precise measurement of indices of refraction.

5. **Claims 4 and 7** are rejected under 35 U.S.C. 103(a) as being unpatentable over Udagawa et al., US-6, 195,125 and in view of Kerstens et al., US-5,248,876.

Regarding **claim 4**, the combination of Udagawa and Kilgore as whole is silent in regards to the opto-electronic video compression system of claim 1, wherein the sensor array is a stepped array.

However, Kerstens teaches a stepped array (fig. 11, 300 and 306).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Udagawa and Kilgore with Kerstens' teaching of using a sensor mask to provide complete images and height measurements, and inspection (column 1 line 7-11).

Regarding **claim 7**, the combination of Udagawa and Kilgore are silent in regards to the opto-electronic video compression system of claim 6, wherein each lens has the same focal length and the sensor is a stepped sensor.

However, Kertsens discloses a that since a stepped sensor array is not commercially available, therefore a sensor mask 306 which is a mirror image of source mask 300, and a focusing lens 308 are provided. The reflected rays are deflected by the beam splitter 106 through an optically aligned sensor mask 306 having steps with aperture matrices which are a mirror image of the pattern of the source mask. The rays are focused by lens 308 onto the sensor array 116. Signals from the sensor array 116 are directed to an electronic processor 118 as shown in FIG. 1 and arranged to form

images as described above, which read upon the claimed limitation of a stepped sensor.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Udagawa and Kilgore with Kerstens' teaching of using a sensor mask to provide complete images and height measurements, and inspection (column 1 line 7-11).

6. **Claims 5, 9-11** are rejected under 35 U.S.C. 103(a) as being unpatentable over Udagawa et al., US-6, 195,125 and in view of Kilgore et al., US-5,903,659 and further in view of Blaettermann et al., US-2003/0142869.

Regarding **claim 5**, the combination of Udagawa is silent in regards to the opto-electronic video compression system of claim 1, further including an electronic quantizing element in communication with the electronic differencing element for dividing coefficients received from the electronic differencing element by a predetermined quantize coefficient.

However, Kilgore teaches a comparison function that includes for each value of the anti-mean (focus) is compared to the corresponding value of the anti-mean image (blur), column 6 line 4-15, fig. 5, 24 B2).

Therefore, it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Udagawa with Kilgore's teaching of a comparison function for providing correction terms used for processing images (abstract).



The combination of Udagawa and Kilgore as a whole are silent in regards to the opto-electronic video compression system of claim 1, further including an electronic quantizing element, for dividing coefficients received from the electronic differencing element by a predetermined quantizer coefficient..

However, Blaettermann teaches quantizing the image ([0006] and fig. 1,104). Further, it is clear to the examiner that a coefficient is quantized by dividing it by a weight and then rounding or truncating the result, which reads upon the claimed limitation.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Udagawa and Kilgore with the teachings of Blaettermann to provide efficient encoding and decoding of images.

Regarding **claim 9**, the rejection and analysis made for claim 5, also apply here as claim 5 and claim are essentially the same. Therefore, claim 9 is rejected with respect to claim 5.

Regarding **claim 10**, the combination of Udagawa and Kilgore are silent in regards to the opto-electronic video compression system of claim 9, wherein the quantizer coefficient is programmable.

However, Blaettermann teaches a second stage in data reduction takes place in the form of an adaptive quantizing ([0006]), which reads upon the limitations as claimed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Udagawa and Kilgore with Blaettermanns' teaching of adaptive quantization to provide efficient encoding and decoding of images.

Regarding **claim 11**, the combination of Udagawa and Kilgore as a whole are silent in regards to the opto-electronic video compression system of claim 9, wherein the electronic quantizing element is a programmable attenuation circuit.

However, Blaettermann teaches a reduction of takes place in the form of an adaptive quantizing, by means of which the amplitude accuracy of the coefficients is further reduced or by means of which the small amplitudes are set to zero ([0006]). Further, it is clear to the examiner that a programmable attenuation circuit is nothing more than a component to reduce the signal, which is disclosed by Blaettermann.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Udagawa and Kilgore with Blaettermanns' teaching of reduction of takes place in the form of an adaptive quantizing, by means of which the amplitude accuracy of the coefficients is further reduced or by means of which the small amplitudes are set to zero to provide for efficient encoding and decoding of images.

7. **Claim 12** is rejected under 35 U.S.C. 103(a) as being unpatentable over Udagawa et al., US-6, 195,125 and in view of Kilgore et al., US-5,903,659 and further in view of Blaettermann et al., US- and further in view of Tewksbury et al., US-4, 107,669.

Regarding **claim 12**, the combination of Udagawa, is silent in regards to including a model in communication with the electronic quantizing element and a second electronic differencing element in communication with the electronic quantizing element and the model for calculating the difference between a coefficient and a co-located coefficient from the model.

However, Kilgore teaches a comparison function that includes for each value of the anti-mean (focus) is compared to the corresponding value of the anti-mean image (blur), column 6 line 4-15, fig. 5, 24 B2), which reads on the limitation.

Therefore, it would have been obvious to one of ordinary skill at the time of the invention to combine the teachings of Udagawa with Kilgore's teaching of a comparison function for providing correction terms used for processing images (abstract).

The combination of Udagawa and Kilgore as a whole are silent in regards to the opto-electronic video compression system of claim 1, further including an electronic quantizing element, for dividing coefficients received from the electronic differencing element by a predetermined quantizer coefficient..

However, Blaettermann teaches quantizing the image ([0006] and fig. 1,104). Further, it is clear to the examiner that a coefficient is quantized by dividing it by a weight and then rounding or truncating the result, which reads upon the claimed limitation.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Udagawa and Kilgore with the teachings of Blaettermann to provide efficient encoding and decoding of images.

However, the combination of Udagawa, Kilgore and Blaettermann as a whole are silent in regards to a second differencing circuit.

However, Tewksbury discloses the use of two differencing circuits, 704 and 705 that are in communication with the quantizer (fig. 7).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teaching of Udagawa, Kilgore, and Blaettermann with the teachings of Tewksbury second differencing circuit to retain the signal independent feedback network as in video coders, while achieving a much greater reduction in the number of required quantization levels (column 1 line 58-61).

### ***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
9. Mendlovic et al., US-7, 012,749 Optical processing
10. Belkirch et al., US-5, 043,827 Combined Asynchronous- Synchronous document scanning
11. York et al., US-4,347,834 Variable Entropy solar energy harvester
12. Shiomi et al., US-2004/0085460 Imaging apparatus, control method and a computer program product having computer program code therefor

13. Inoue et al., US-2007/0019104 Image pick-up apparatus, image pick-up program, and image processing program

***Examiner's Note***

The referenced citations made in the rejection(s) above are intended to exemplify areas in the prior art document(s) in which the examiner believed are the most relevant to the claimed subject matter. However, it is incumbent upon the applicant to analyze the prior art document(s) in its/their entirety since other areas of the document(s) may be relied upon at a later time to substantiate examiner's rationale of record. A prior art reference must be considered in its entirety, i.e., as a whole, including portions that would lead away from the claimed invention. W.L. Gore & associates, Inc. v. Garlock, Inc., 721 F.2d 1540, 220 USPQ 303 (Fed. Cir. 1983), cert. denied, 469 U.S. 851 (1984). However, "the prior art's mere disclosure of more than one alternative does not constitute a teaching away from any of these alternatives because such disclosure does not criticize, discredit, or otherwise discourage the solution claimed...." In re Fulton, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004). Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jessica Roberts whose telephone number is (571) 270-1821. The examiner can normally be reached on 7:30-5:00 EST Monday-Friday, Alt Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on (571) 272-7905. The fax

Art Unit: 2621

phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jessica M. Roberts/

*Martha O Banks-Harold*

MARSHALL BANKS-HAROLD  
SUPERVISOR  
TECHNOLOGY CENTER 2600